



SPEEDOL

Since 1921

**5W30
SERIES**

Choose the most suitable 5W30 oil for your vehicle





5W30 SERIES

- 1 ZETA RN 720 5W30 C4
- 2 ZETA DPF 5W30 C3 - API SN
- 3 ZETA FT 5W30 C2(3,2L) - API SN/SM/CF
- 4 ZETA PSA 5W30(DPF) - API SN/SM/CF
- 5 ZETA DX1 5W30 G2 - API SP (RC), API SN PLUS
- 6 ZETA 5W30 - API SN/CF
- 7 GALAXY FS 5W30 - API SM/CF
- 8 GALAXY 5W30 - API SL/CF
- 9 GREEN PARTICUL 5W30(DPF) - API SN/SM/CF
- 10 KNS MOTOR OIL FS 5W30 - API SN PLUS
- 11 SUPER SPX 5W30 - API SN/SM/SL/CF
- 12 Zeta XSN 5W30 - API SN/CF
- 13 ULTRA 5W30 - API CI-4+ / CI-4 / CH-4/CF-4/ CF
- 14 ULTRA LA 5W30(DPF) - API CJ-4/CI-4+/CI4/CH-4 API SN/CF
- 15 ULTRA LA PLUS MS LDF-4
- 16 ULTRA PLUS MS LDF-3
- 17 ULTRA LA K4 5W30 V4.5
- 18 GREEN PARTICUL PAO 5W30
- 19 PROFESSIONAL MB 229.52 5W30 C2/C3
- 20 PROFESSIONAL MB 229.52 5W30 TOP C3



Performance

Renault RN0720

ACEA C4-16

ACEA C4-12

ACEA C3-16

MB 226.51

MB 229.51

MB 229.31



DPF / TWC Systems

Zeta RN 720 5W30 C4

Zeta RN 720 5W30 C4 is a full synthetic Euro IV normed engine oil developed with active cleaning feature for passenger and light commercial vehicle engines with modern diesel particulate filters (DPF) and gasoline catalytic converter.



Performance

API SN

ACEA C3/C2

MB 229.31



DPF / TWC Systems

**Synthetic Engine Oil
For Diesel and Gasoline Engines**

Zeta DPF 5W30 C3

Zeta DPF 5W30 C3 is full synthetic motor oil formulated with synthetic base oils and special additives developed for diesel passenger and light commercial vehicles and catalytic converter gasoline vehicles equipped with DPF and SCR exhaust systems.



Performance

Fiat 9.55535-s1

ACEA C2

API SN/SM/CF

ACEA A5/B5/A1/B1

PSA B71 2290



DPF / TWC Systems

Zeta FT 5W30 C2 (DPF)

Zeta FT 5W30 C2 is a full synthetic engine oil formulated with special low saps technology meets improved fuel economy with advanced anti-friction feature. Used in gasoline-diesel passenger and light commercial vehicles with in especially Fiat brand vehicle and Peugeot-Citroën group with DPF system.



Performance

- API SN/SM/CF
- ACEA A5/B5/A1/B1
- ACEA C2
- RENAULT RN 0700
- PSA B71 2290
- Fiat 9.55535-s1



Zeta PSA 5W30 (DPF)

Zeta PSA 5W30 is a full synthetic engine oil formulated with special low saps technology meets improved fuel economy with advanced anti-friction feature. Used in gasoline, diesel passenger and light commercial vehicles especially with DPF system of Peugeot, Citroen, Toyota and Honda branded motors.



Performance

- GM DEXOS1™ GEN 2
- Ford WSS-M2C961
- ILSAC GF-6A/ILSAC GF-5
- GF-6A
- API SP (RC)
- API SN PLUS


ZETA DX1 5W30 G2

Zeta DX1 5W30 G2 is a full synthetic engine oil developed especially for Opel group new generation gasoline vehicles, providing excellent cooling technology and fuel economy. Provides anti-wear performance that prevents damage to critical engine components thanks to the additive technology that meets GM Dexos1™ Gen 2 performance. Not recommended for use in diesel vehicles.



Performance

- API SN/CF
- ACEA A5/B5-12
- ACEA A1/B1-12
- ACEA A3/B4-12
- Ford WSS-M2C913-C**
- Ford WSS-M2C913-D
- Renault RN 0700
- BMW Longlife-01
- MB 229.3/229.5
- VW 502 00 / 505 00
- Opel GM-LL-B-025



Zeta 5W30

Zeta 5W30 is a full synthetic gasoline engine oil manufactured for four stroke engines with high technology synthetic base oils and high performance additives. Increases engine's performance & power and supports fuel economy under most driving conditions. Can be used at API CF performed diesel engines, too.



Performance

Galaxy FS 5W30

- API SM/CF
- ACEA A3/ B4-04
- MB 229.1
- VW 501 01 / 505 00

Galaxy FS 5W30 is a full synthetic multigrade engine oil formulated with the combination of high quality synthetic base oils and high performance additives to be used at API SM performed gasoline & LPG engines and API CF performed diesel engines. Provides better performance than mineral oils unique and extreme protection under all weather and driving conditions. **DO NOT USE IN PARTICULATE FILTERED ENGINES.**

Full Synthetic Engine Oil



Performance

Galaxy 5W30

- API SL/CF
- ACEA A3/ B4-04
- MB 229.1
- VW 501 01 / 505 00

Galaxy 5W30 is a semi synthetic multigrade engine oil formulated with the combination of high quality synthetic base oils and high performance additives to be used at API SL performed gasoline & LPG engines and API CF performed diesel engines. Provides better performance than mineral oils unique and extreme protection under all weather and driving conditions. **DO NOT USE IN PARTICULATE FILTERED ENGINES.**

Synthetic Blend Engine Oil



Performance

Green Particul 5W30 (DPF)

- API SN/SM/CF
- ACEA C3-10
- VW 504 00 / 507 00
- BMW LL-04
- Porsche C30
- MB 229.31
- MB 229.51

OEM Approvals

Green Particul 5W/30 is a high performance synthetic engine oil & an environmentally friendly product designed to provide high cleaning power, wear, prevention and general performance. Speedol Green Particul 5W30 has been developed to maintain the efficiency and extend the life of exhaust emission reduction systems (diesel particulate filters (DPFs) and catalytic converters (CATs) in petrol vehicles) found in both diesel and gasoline passenger vehicles.





Performance

- API SN PLUS
- ILSAC GF-5
- GM Dexos 1

Full Synthetic Engine Oil

KNS Motor Oil FS

KNS Motor Oil FS is a gasoline fully synthetic motor oil produced by combining high-quality synthetic base oils suited to today's technology additives that meet ILSAC GF-5 & API SN PLUS performance.



Performance

- API SN/SM/SL/CF
- ILSAC GF-5

Engine Oil

SUPER SPX 5W30

Super SPX is a gasoline engine oil produced by combining high-quality Group II and synthetic base oils suited to today's technology additives that meet ILSAC GF-5 & API SN performance. Can be used at API CF performed diesel engine oil, too.



Performance

- API SN/CF
- ACEA C3
- MB 229.52/226.5
- GM Dexos 2
- Renault RN 700/710

ZETA XSN 5W30



Performance

API CJ-4/CI-4+/CI4/CH-4
 API SN/CF **OEM Approvals**
 ACEA 2010 E6.E7.E9.08. (2010),
 MAN 3477, MAN 3271-1, MB 228.51,
 MTU Type 3.1, Volvo VDS-3,
 MACK EO-N EO-N Plus,
 Cummins CES 20076/77,
 CAT ECF-1-a, DEUTZ DQC IV-10,
 LA SCANIA Low Ash, Renault RXD,
 RLD2, RLD

Ultra LA 5W30 (DPF)

ULTRA LA 5W30 is a full synthetic diesel engine oil formulated with low ash additives and high performance synthetic base oils to provide effective protection and high performance in diesel engines designed with the system of low emission, EGR (Exhaust Gas Recirculation), DPF (Diesel Particulate Filter) and DOC (Diesel Oxidation Catalyst).



Performance

API CI-4+ / CI-4 / CH-4/CF-4/ CF
 ACEA E4/E7-08
 MB 228.5
 Volvo VDS-3
 MAN 3277
 MTU Type III
 Renault Trucks
 RXD/RLD-2/RLD
 Mack EO-M+
 Cummins CES 20078/20077
 Global DHD-1
 Detroit Diesel 93K215

Ultra 5W30

ULTRA 5W30 is full synthetic heavy duty diesel engine oil formulated with high performance base oils and high performance additives to meet expectation of latest technology diesel engines.

Synthetic Heavy Duty



Performance

API CJ-4+/CJ-4/CI-4+/CI-4/CH-4
 API SN/CF
 ACEA E9.E7.E6.E4
 MAN M 3677/3575/3477/3271-1
 SCANIA Low Ash LDF-4
 MB 228.51 /228.31
 MTU Type 3.1
 Volvo VDS-4/VDS-3/CNG
 MACK EO-O Premium Plus
 EO-N Premium Plus

ULTRA LA PLUS MS LDF-4

ULTRA LA PLUS MS LDF-4 is a full synthetic diesel engine oil formulated with low ash additives and high performance synthetic base oils to provide effective protection and high performance in diesel engines designed with the system of low emission, EGR (Exhaust Gas Recirculation), DPF (Diesel Particulate Filter) and DOC (Diesel Oxidation Catalyst).



Performance

- ACEA E4/E7-08
- API CI-4+ / CI-4 / CH-4/CF-4/ CF
- MB 228.5
- Volvo VDS-3
- MAN 3377 MAN 3277 MTU Type III
- Renault Trucks
- RXD/RLD-2/RLD
- Mack EO-M+ Cummins CES 20078/20077
- Global DHD-1 Detroit Diesel 93K215
- DEUTZ III-05
- SCANIA LDF-3/SCANIA LDF-2

ULTRA PLUS MS LDF-3

ULTRA PLUS MS LDF-3 is full synthetic heavy duty diesel engine oil formulated with high performance base oils and high performance additives to meet expectation of latest technology diesel engines.



Performance

- API CK-4/CJ-4+/CJ-4/CI-4+/CI-4/CH-4
- API SN/CF
- ACEA E9.E7.E6.E4
- MAN M 3777/3677/3575/3477/3271-1
- MTU Type 3.1
- SCANIA Low Ash LDF-4
- Volvo VDS-4.5 /VDS-4/3 /CNG
- MB 228.52 /MB 228.51/228.31
- MACK EOS-4.5 MACK EO-O Premium Plus
- EO-N Premium Plus,EO-N Plus
- Cummins CES 20086/ 20081/ 20076/77
- CAT ECF-3, CAT ECF-1-a
- JASO DH-2

ULTRA LA K4 5W30 V4.5

ULTRA LA K4 5W30 V4.5 is a full synthetic diesel engine oil formulated with low ash additives and high performance synthetic base oils to provide effective protection and high performance in diesel engines designed with the system of low emission, EGR (Exhaust Gas Recirculation), DPF (Diesel Particulate Filter) and DOC (Diesel Oxidation Catalyst).



Performance

- API SN/SM/CF
- ACEA C3-10
- VW 504 00 / 507 00
- BMW LL-04
- Porsche C30
- MB 229.31 MB 229.51

GREEN PARTICUL PAO 5W30

Green Particul PAO 5W/30 is a high performance synthetic engine oil & an environmentally friendly product designed to provide high cleaning power, wear, prevention and general performance. Speedol Green Particul PAO 5W30 has been developed to maintain the efficiency and extend the life of exhaust emission reduction systems (diesel particulate filters (DPFs) and catalytic converters (CATs) in petrol vehicles) found in both diesel and gasoline passenger vehicles.



Performance

- ACEA C2/C3
- API SN/CF
- GM Dexos 2
- MB 229,52/229.51/229.31
- BMW Longlife-04
- Renault RN0700/RN0710

Professional MB 229.52 5W30 C2/C3

Professional MB 229.52 5W30 C2/C3 is a high performance synthetic engine oil and an environmentally product designed to provide general performance and corrosion prevention. It has been developed to maintain the efficiency and extend the life of exhaust emission reduction systems (diesel particulate filters (DPFs) and catalytic converters (CATs) in petrol vehicles) found in both diesel and gasoline passenger vehicles.



Performance

- API SN/CF
- ACEA C3-16
- MB-Approval 229.31/229.51/229.52
- MB 226.5
- VW 502 00/505 01
- BMW Longlife-04
- GM Dexos 2
- RN0700/RN0710

Professional MB 229.52 5W30 Top C3

Professional MB 229.52 5W30 Top C3 is a high performance synthetic engine oil and an environmentally product designed to provide general performance and corrosion prevention. The Speedol Professional MB 229.52 5W30 Top C3 has been developed to maintain the efficiency and extend the life of exhaust emission reduction systems (diesel particulate filters (DPFs) and catalytic converters (CATs) in petrol vehicles) found in both diesel and gasoline passenger vehicles.